LEEVEL

COMPLIANT WITH **ANSI A14.3; ANSI A14.7; CSA Z259.18; CSA S269.2; OSHA**

A custom-built range, DESIGNED and MANUFACTURED by ECHELLE CANADA for your ACCESS & FALL PROTECTION SYSTEMS AT HEIGHT



LEEVEL WALKWAY PLATFORM

LEEVEL custom access solutions are built around bolted modular assemblies.

This industrial approach offers outstanding design flexibility, making it easy to tailor each solution to the specific needs of your worksite.

Our products meet key access standards for machinery and buildings, including ANSI A14.3, ANSI A14.7, CSA S269.2, CSA Z259.18 and OSHA, and comply with the National Building Code of Canada (NBC 2020) as well as applicable provincial regulations.



LEEVEL DOUBLE STAIRWAY WITH LANDING



LEEVEL 45° CROSSOVER WALKWAY



LEEVEL POWDER-COATED STAIRWAY

LEEVEL PROJECTS

ECHELLE CANADA

DESIGNER AND **MANUFACTURER**

Access and safety at **height**

Custom manufacturing system

LEEVEL

For stairways, stairways with platforms, walkways, mobile platforms...

System Features

- **Bolted modular assembly system**, allowing each component to be interchangeable
- **Our engineering department** is available to support you with your custom projects
- **Modular structure** enabling fully customized special constructions for all application areas
- **Aluminium**
- **Maximum total load: 250 kg/m² (50 lb/ft²)**, maximum load per step: 150 kg (331 lb)
- Shipped as pre-assembled modules from our factory **ensuring fast on-site installation**
- **Custom dimensions** and other stair inclinations available upon request
- **100% Canadian design and manufacturing**
- **2-year warranty**

Constraints Managed

Mobile equipment
Self-supporting equipment
Offset platform
Telescopic height adjustment
Hatch access

Les spécialistes de la hauteur
www.echelle-europeenne.com

Options


Lever


Lifting jack


Lifting ring


Recycled resin base pad


Swing gate


Saloon-style gates


Tool tray


Adjustable foot


Safety chain


Protective rubber bumper


Sliding guardrail


Lifting sleeve


Counterweight ballast / self-supporting


Wheels with aluminum hubs (various diameters)

Custom feature


Yellow and black marking strip

The full versatility of the LEEVEL system

CONCEPTION ECHELLE CANADA

Guardrail options









Available in yellow

Tread and platform surface options





Benefits
Custom-built. Lightweight, durable alloy. Quick installation.

Access angle
30°, 45° and 60° as standard
Other angles available upon request

Clear width
600 (23.6 in) /800 (31.5 in) /1000 mm (39.4 in) as standard

Tread depth 200 (7.9 in) , 270 (10.6 in) or 400 (15.7 in) mm

Compliant with standards

ANSI A14.3
ANSI A14.7
CNB 2020
CSA Z259.18
CSA S269.2
OSHA







IN-HOUSE
DESIGN OFFICE

TESTING
CENTER

QUALITY
MANAGER

OUR SHOP

TORONTO
2 Principal Rd Unit 1-2
Scarborough
ON M1R 4E8
CANADA

ECHELLE CANADA

DESIGNER AND **MANUFACTURER**

info@echellecanada.ca
Tél : **416 780 1114**

VISIT US
ONLINE

WWW.**ECHELLECANADA**.CA